



RCE

PATENT

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Diane L. Deering; Bradley E. Deering Confirmation No.: 2687  
App. No.: 09/805,539  
Filed: March 13, 2001  
Title: PILLOW BLANKET  
Art Unit: 3673  
Examiner: F. Conley  
  
Docket No.: D15-003-02-US  
Customer No: 22,854

Mail Stop RCE  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

## REQUEST FOR CONTINUED EXAMINATION UNDER 37 CFR § 1.114

Dear Sir:

This is a Request for Continued Examination (RCE) under 37 CFR §1.114 of the above-identified application. Please enter the Amended and Response dated December 2, 2004. The fee for a Request for Continued Examination for a small entity is \$395.00.

A Petition for a third month Extension of Time, extending the period for response to the outstanding Office Action to July 13, 2004, is enclosed herewith. The extension fee for a small entity is \$490.00.

12/07/2004 JADD01 00000006 09805539

01 FC:2801

395.00 0P

## CERTIFICATE OF MAILING (37 C.F.R. § 1.8(a))

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA. 22313-1450 on this date:

Date: December 2, 2004

Barbara E. Huebner

(type or print name of person certifying)

RCE  
App. No. 09/805,539  
Filed March 13, 2001  
Today's Date: December 2, 2004

Our check in the amount of \$885.00 is enclosed herewith to cover the required small entity fees for filing the Request for Continued Examination and the Petition for the third month Extension of Time. Please charge any additional fees and credit any overpayments to Deposit Account No. 13-4300.

Customer Number

**22854**

Date December 2, 2004

Respectfully submitted,  
For the Applicants  
By their Attorneys,

MOORE, HANSEN & SUMNER PLLP  
225 South Sixth Street  
Suite 4850  
Minneapolis, Minnesota 55402  
(612) 332-8200

By: James R. Hakomaki  
James R. Hakomaki  
Reg. No. 35,037